




REVISIONS				
ECN#	REV	DESCRIPTION	DATE	BY
	A	INITIAL RELEASE	1/27/15	HC



FRONT VIEW



SIDE VIEW



REAR VIEW

Configuration	Type	Remote EPO	
	Layout	3 U	
Input 1	Voltage	120/208 VAC, 3-Phase Wye, 400 Hz	
	Max Current	15 Amps	
	Max Load	1.44 KVA, 4.31 KVA	
	Connection	MIL Connector	
	Voltage Monitor	None	
	Current Monitor	None	
Outlets	All Panels [1][2]	(4) MIL Conne, 120/208V (S)	
	Protection	Spike/Surge Suppression [1]	Yes
		EMI Filter [1]	None
		Over Current [1]	(2) 2A Circuit Breaker (1) 1A Circuit Breaker (1) 15A Main Breaker (1) 10A Circuit Breaker
		Env Sensors	Temperature
Env Sensors	Humidity	None	
	Interlocks	None	
	EPO	Remote EPO Type N.O./N.O.	
	Communications	Display	None
Serial		None	
Ethernet		None	
Protocols		None	

Physical	Dimensions	3 U x 19" W x 8" D
	Weight	lbs
	Materials	Chassis: Steel
Operating	Finishes	Chassis: Zinc plated Gold, FrontPanel: Zinc plated Gray
	Temperature	32°F to 122°F
	Humidity	5 %RH to 85 %RH
Conformance	Elevation	25,000 feet
	Warranty	http://www.marway.com/warranty
	Safety Certifications	None
	Environment Certifications	None

Notes:
 [1] Certain details of the circuitry may only be revealed by the schematic (available separately)
 [2] S = switched, V = monitored voltage, A = monitored amps

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE: ANGLES DECIMALS ± .5° .XX ± .03 XXX ± .010 DO NOT SCALE DRAWING	MATERIAL:		
	FINISH:		
	APPROVALS		DATE
	DRAWN	HC	1/27/15
CHECKED			
APPROVED			
PROPRIETARY NOTICE THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF MARWAY POWER SOLUTIONS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF MARWAY POWER SOLUTIONS IS STRICTLY PROHIBITED.		1721 S. GRAND AVE. SANTA ANA, CA 92705 PH: (714) 917-6200 FX: (714) 917-6253	SCALE COMPUTER FILE NO.
SIZE	CAGE CODE	DWG NO.	REV
D	60955	41621-181	A
SCALE		P41621-181 REV A SHEET 1 OF 1	

